

Search Results
[BROWSE](#)
[SEARCH](#)
[IEEE XPLORE GUIDE](#)
[SUPPORT](#)

Results for "((device and history)<in>metadata)"

Your search matched **815** of **1771016** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.
[e-mail](#) [printer friendly](#)
**New [Beta]
Application
Notes**
powered by
GLOBALSPEC
Search Options
[View Session History](#)
[New Search](#)
Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

[Search](#)
☐ Check to search only within this results set

 Display Format: ☒ Citation ☐ Citation & Abstract

[IEEE/ET](#)
[Books](#)
[Educational Courses](#)
[Application Notes \[Beta\]](#)

Practical applied content provided by GlobalSpec to explain, illustrate and promote technologies. Not reviewed or endorsed by the IEEE.

[view selected items](#) [Select All](#) [Deselect All](#)

 View: [1-25](#) | [26-50](#) | [51-75](#) | [76-100](#)

- ☐ **1. Managing heterogeneous services and devices with the Device Unifying Service: implemented with Parlay APIs**
 Vanem, E.; Van Tran, D.; Jonvik, T.E.; Lokstad, P.; Van Thanh, D.;
[Integrated Network Management, 2003. IFIP/IEEE Eighth International Symposium on](#)
 24-28 March 2003 Page(s):379 - 392
[AbstractPlus](#) | Full Text: [PDF\(519 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
- ☐ **2. The reliability of semiconductor devices in the bell system**
 Peck, D.S.; Zierdt, C.H., Jr.;
[Proceedings of the IEEE](#)
 Volume 62, [issue 2](#), Feb. 1974 Page(s):185 - 211
[AbstractPlus](#) | Full Text: [PDF\(3134 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
- ☐ **3. Realising service portability with the Device Unifying Service using Parlay API**
 Vanem, E.; Tran, V.D.; Jonvik, T.E.; Lokstad, P.; Thanh, D.V.;
[Communications, 2003. ICC '03. IEEE International Conference on](#)
 Volume 2, 11-15 May 2003 Page(s):759 - 763 vol.2
 Digital Object Identifier 10.1109/ICC.2003.1204426
[AbstractPlus](#) | Full Text: [PDF\(571 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
- ☐ **4. Body voltage and history effect sensitivity to key device parameters in 90 nm PD-SOI**
 Kawanaka, S.; Ketchen, M.B.; Bhushan, M.; Pearson, D.J.; Bhasin, R.; Mcstay, K.; Sherony, M.; Fisher, P.; Matsumoto, K.; Utomo, H.; Nii, H.; Harifuchi, H.; Sudo, G.; Rausch, W.; Kimura, H.; Nakao, T.; Park, H.; Oh, S.-H.; Waite, A.; Womack, S.; Narasimha, S.; Mocuta, A.C.; Ajmera, A.; Li, Y.; Malik, R.; Kohyama, Y.; Cheek, J.; Yang, I.; Clark, W.F.; Divakaruni, R.;
[SOI Conference, 2004. Proceedings. 2004 IEEE International](#)
 4-7 Oct. 2004 Page(s):19 - 20
[AbstractPlus](#) | Full Text: [PDF\(487 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **5. Leakage current modeling in PD SOI circuits**
 Nanua, M.; Blaauw, D.; Oh, C.;
[Quality of Electronic Design, 2005. ISQED 2005. Sixth International Symposium on](#)
 21-23 March 2005 Page(s):113 - 117
 Digital Object Identifier 10.1109/ISQED.2005.74
[AbstractPlus](#) | [Full Text: PDF\(224 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
-
- ☐ **6. Overview of on-chip electrostatic discharge protection design with SCR-based devices in CMOS integrated circuits**
 Ming-Dou Ker; Hsu, K.-C.;
[Device and Materials Reliability, IEEE Transactions on](#)
 Volume 5, [Issue 2](#), June 2005 Page(s):235 - 249
 Digital Object Identifier 10.1109/TDMR.2005.846824
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(1016 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
-
- ☐ **7. GaN-based devices**
 Shur, M.S.;
[Electron Devices, 2005 Spanish Conference on](#)
 2-4 Feb. 2005 Page(s):15 - 18
 Digital Object Identifier 10.1109/SCED.2005.1504293
[AbstractPlus](#) | [Full Text: PDF\(209 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
-
- ☐ **8. Intelligent control design for heart assist devices**
 Boston, J.R.; Simaan, M.A.; Antaki, J.F.; Yih-Choung Yu; Seongjin Choi;
[Intelligent Control \(ISIC\), 1998. Held jointly with IEEE International Symposium on Computational Intelligence in Robotics and Automation \(CIRA\), Intelligent Systems and Semiotics \(ISAS\), Proceedings of the 1998 IEEE International Symposium on](#)
 14-17 Sept. 1998 Page(s):497 - 502
 Digital Object Identifier 10.1109/ISIC.1998.713712
[AbstractPlus](#) | [Full Text: PDF\(632 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
-
- ☐ **9. Practical Techniques for Limiting Disclosure of RF-Equipped Medical Devices**
 Spring, Ryan; Freudenthal, Eric; Estevez, Leonardo;
[Engineering in Medicine and Biology Workshop, 2007 IEEE Dallas](#)
 11-12 Nov. 2007 Page(s):82 - 85
 Digital Object Identifier 10.1109/EMBSW.2007.4454179
[AbstractPlus](#) | [Full Text: PDF\(423 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
-
- ☐ **10. SOI MOSFET with buried body strap by wafer bonding**
 Kuehne, S.C.; Chan, A.B.Y.; Nguyen, C.T.; Wong, S.S.;
[Electron Devices, IEEE Transactions on](#)
 Volume 45, [Issue 5](#), May 1998 Page(s):1084 - 1091
 Digital Object Identifier 10.1109/16.669538
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(252 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
-
- ☐ **11. Development of virtual reliability methodology for area-array devices used in implantable and automotive applications**
 Sitaraman, S.K.; Raghunathan, R.; Hanna, C.E.;
[Components and Packaging Technologies, IEEE Transactions on \[see also Components, Packaging and Manufacturing Technology, Part A: Packaging Technologies, IEEE Transactions on\]](#)
 Volume 23, [Issue 3](#), Sept. 2000 Page(s):452 - 461
 Digital Object Identifier 10.1109/6144.868844
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(696 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
-

- ☐ **12. Silicon power devices: RF power transistor & electric power device**
Ying-Kun Liu; Tong Zhao; Song-Fa Li;
[Solid-State and Integrated-Circuit Technology, 2001. Proceedings. 6th International Conference on](#)
Volume 1, 22-25 Oct. 2001 Page(s):149 - 154 vol.1
Digital Object Identifier 10.1109/ICSICT.2001.981444
[AbstractPlus](#) | Full Text: [PDF\(281 KB\)](#) [IEEE Xplore](#)
[Rights and Permissions](#)
-
- ☐ **13. Space-charge-limited solid-state devices**
Wright, G.T.;
[Proceedings of the IEEE](#)
Volume 51, [Issue 11](#), Nov. 1963 Page(s):1642 - 1652
[AbstractPlus](#) | Full Text: [PDF\(1133 KB\)](#) [IEEE Xplore](#)
[Rights and Permissions](#)
-
- ☐ **14. History of Science and Technology Systems Engineering: The Histneer**
Pope, R.L.; Jones, K.W.; Jenkins, L.C.; Ramsey, J.; Burnham, S.;
[25th Digital Avionics Systems Conference, 2006 IEEE/AIAA](#)
Oct. 2006 Page(s):1 - 13
Digital Object Identifier 10.1109/DASC.2006.313731
[AbstractPlus](#) | Full Text: [PDF\(711 KB\)](#) [IEEE Xplore](#)
[Rights and Permissions](#)
-
- ☐ **15. Experiments involving correlations between CdTe solar cell fabrication history and intrinsic device stability**
Albin, D.; McMahon, T.; Berniard, T.; Pankow, J.; Demtsu, S.; Noufi, R.;
[Photovoltaic Specialists Conference, 2005. Conference Record of the Thirty-first IEEE](#)
3-7 Jan. 2005 Page(s):315 - 318
[AbstractPlus](#) | Full Text: [PDF\(274 KB\)](#) [IEEE Xplore](#)
[Rights and Permissions](#)
-
- ☐ **16. History of SAW devices**
Morgan, D.P.;
[Frequency Control Symposium, 1998. Proceedings of the 1998 IEEE International](#)
27-29 May 1998 Page(s):439 - 460
Digital Object Identifier 10.1109/FREQ.1998.717937
[AbstractPlus](#) | Full Text: [PDF\(2340 KB\)](#) [IEEE Xplore](#)
[Rights and Permissions](#)
-
- ☐ **17. History of implantable devices**
Greatbatch, W.; Holmes, C.F.;
[Engineering in Medicine and Biology Magazine, IEEE](#)
Volume 10, [Issue 3](#), Sept. 1991 Page(s):38 - 41, 49
Digital Object Identifier 10.1109/51.84185
[AbstractPlus](#) | Full Text: [PDF\(608 KB\)](#) [IEEE Xplore](#)
[Rights and Permissions](#)
-
- ☐ **18. Vacuum microelectronic devices [and prolog]**
Brodie, I.; Schwoebel, P.R.;
[Proceedings of the IEEE](#)
Volume 82, [Issue 7](#), July 1994 Page(s):1006 - 1034
Digital Object Identifier 10.1109/5.293159
[AbstractPlus](#) | Full Text: [PDF\(2648 KB\)](#) [IEEE Xplore](#)
[Rights and Permissions](#)
-

- ☐ **19. Sir J.C. Bose diode detector received Marconi's first transatlantic wireless signal of December 1901 (the "Italian Navy Coherer" Scandal Revisited)**
Bondyopadhyay, P.K.;
[Proceedings of the IEEE](#)
Volume 86, [Issue 1](#), Jan. 1998 Page(s):259 - 285
Digital Object Identifier 10.1109/5.658778
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(380 KB) [IEEE JNL](#)
[Rights and Permissions](#)
-
- ☐ **20. CMOS nanoelectronics devices for the end of the roadmap and beyond**
Deleonibus, S.;
[Solid-State and Integrated Circuits Technology, 2004. Proceedings. 7th International Conference on](#)
Volume 1, 18-21 Oct. 2004 Page(s):240 - 246 vol.1
Digital Object Identifier 10.1109/ICSICT.2004.1434996
[AbstractPlus](#) | Full Text: [PDF](#)(549 KB) [IEEE CNF](#)
[Rights and Permissions](#)
-
- ☐ **21. Collaborative context recognition for handheld devices**
Mantjarvi, J.; Himberg, J.; Huuskonen, P.;
[Pervasive Computing and Communications, 2003. \(PerCom 2003\). Proceedings of the First IEEE International Conference on](#)
23-26 March 2003 Page(s):161 - 168
[AbstractPlus](#) | Full Text: [PDF](#)(771 KB) [IEEE CNF](#)
[Rights and Permissions](#)
-
- ☐ **22. Transient pass-transistor leakage current in SOI MOSFET's**
Assaderaghi, F.; Shahidi, G.G.; Wagner, L.; Hsieh, M.; Pelella, M.; Chu, S.; Dennard, R.H.; Davari, B.;
[Electron Device Letters, IEEE](#)
Volume 18, [Issue 6](#), June 1997 Page(s):241 - 243
Digital Object Identifier 10.1109/55.585341
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(72 KB) [IEEE JNL](#)
[Rights and Permissions](#)
-
- ☐ **23. The 2N3055: a case history**
Ellis, J.N.; Osadchy, V.S.;
[Electron Devices, IEEE Transactions on](#)
Volume 48, [Issue 11](#), Nov. 2001 Page(s):2477 - 2484
Digital Object Identifier 10.1109/16.960371
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(168 KB) [IEEE JNL](#)
[Rights and Permissions](#)
-
- ☐ **24. Aspects of the history of traffic signals**
Mueller, E.A.;
[Vehicular Technology, IEEE Transactions on](#)
Volume 19, [Issue 1](#), Feb 1970 Page(s):6 - 17
[AbstractPlus](#) | Full Text: [PDF](#)(6136 KB) [IEEE JNL](#)
[Rights and Permissions](#)
-
- ☐ **25. Delay time measurement in transition metal oxide glass devices**
Regan, M.; Drake, C.F.;
[Electron Devices, IEEE Transactions on](#)
Volume 20, [Issue 2](#), Feb 1973 Page(s):144 - 149
[AbstractPlus](#) | Full Text: [PDF](#)(568 KB) [IEEE JNL](#)
[Rights and Permissions](#)
-

View: [1-25](#) | [26-50](#) | [51-75](#) | [76-100](#)

